



আর এফ এল

Cosmo group


Building Material



Woody Door




Premium-1 (7'x2.5', 3', 3.5')




Premium-3 (7'x2.5', 3', 3.5')

Woody Smart Door



Woody Smart-2
7'x2.5'




Woody Smart-3 (7'x2.5')

Woody Solid frame




Solid Frame Raw
84"x30", 84"x36", 84"x39", 84"x42"

Woody Shutter




Royal
81"x27", 81"x33"




Elite
81"x27", 81"x33"


Cosmic Door



Venut
7'x2.5', 7'x3', 7'x3.25', 7'x3.5'



Unique
7'x2.5', 7'x3'



Spark
7'x2.5'




Bronze
7'x2.5', 7'x3.25', 7'x3.5'



Stiff
7'x2.5'


Cosmic Super Door



Thunder-7'x2.5', 7'x3'



Liner
7'x2.5', 7'x3', 7'x3.5'




Spectra
7'x2.5'




Decent-7'x2.5'


Cosmic Ultra Door



Onion Flower
7'x2.5'



Parabola-7'x2.5', 7'x3'



Veneer 7'x2.5'



Brick
7'x2.5', 7'x3'

Solid Door



Trio
7'x2.5'



Glorish
7'x2.5'



Virgin
6.5'x2.5', 7'x2.5'




Minus
7'x2.5'

Crown Door



Cherry
7'x2.5', 7'x3'



Red bally
7'x2.5'



Gorgeous
7'x2.5', 6.5'x2.5'




Naksi
7'x2.5', 6.5'x2.5', 6'x2.5'




Bloom-7'x2.5', 6.5'x2.5', 6'x2.5'



Marigold
7'x2.5', 6.5'x2.5', 6'x2.5'



Lotto
7'x2.5', 6.5'x2.5'



Merun Star
7'x2.5', 6.5'x2.5'


Victoria Door



Wood Fiver
7'x2.5'



Fiber
7'x2.5'



Rank
7'x2.5'



Coffee Liner
7'x2.5'

Cat Door



Louver-Coffee

24"x30", 27"x30", 30"x30",



Louver- Light

24"x30", 27"x30", 30"x30",



B-Coffee

24"x30", 27"x30", 30"x30",



B-Light

24"x30", 27"x30", 30"x30",

Co-ex Sliding



Description	Measurement (mm)		Wall thickness (mm)	Rib thickness (mm)
	Width	Height		
Sliding frame	90	52	2.2	1.5
Sash	42	57	2.2	1.5
Glazing bead	15	25	1.5	
Cover sash	45	30	1.5	
Glass type	Single or double glass with gas fille			
Glass color	Clear, navy blue mercury, green mercury, navy blue, mercury			
Glass thickness	5, 5.5 mm			
Frame Color	■ Silver			
Wall Cover	Excess 12 mm Wall cover the gap between Wall and Window			

Co-ex Casement



Description	Measurement (mm)		Wall thickness (mm)	Rib thickness (mm)
	Width	Height		
Frame	60	60	2.2	1.5
Flexible mullion	61	60	2.2	1.5
Sash	76	60	2.2	1.5
Single glazing bead	17	35	1.5	
Mullion	72	60	2.2	1.5
Glass type	Single or double glass with gas filled			
Glass color	Clear, navy blue mercury, green mercury			
Glass thickness	5, 5.5 mm			
Frame Color	■ Silver			
Wall Cover	Excess 12 mm Wall cover the gap between Wall and Window			



Co-ex Fixed

Description	Measurement (mm)		Wall thickness (mm)	Rib thickness (mm)
	Width	Height		
Fixed frame	90	52	2.2	1.5
Fixed mullion	68	90	2.2	1.5
Glazing bead	15	25	1.5	
Glass type	Single or double glass with gas filled			
Glass color	Clear, navy blue mercury, green mercury			
Glass thickness	5, 5.5 mm			
Frame Color	■ Silver			



Cosmic Casement

Description	Measurement (mm)		Wall thickness (mm)	Rib thickness (mm)
	Width	Height		
Frame	60	60	2	1.5
Flexible mullion	61	60	2	1.5
Sash	78	60	2	1.5
Single glazing bead	17	35	1.5	
Mullion	72	60	2	1.5
Glass type	Single or double glass with gas filled			
Glass color	Clear, navy blue mercury, green mercury			
Glass thickness	5, 5.5 mm			
Frame Color	□ White			



Cosmic Fixed

Description	Measurement (mm)		Wall thickness (mm)	Rib thickness (mm)
	Width	Height		
Fixed frame	88	52	2	1.5
Fixed mullion	67	88	2	1.5
Glazing bead	15	25	1.5	
Glass type	Single or double glass with gas filled			
Glass color	Clear, navy blue mercury, green mercury			
Glass thicknes	5, 5.5 mm			



Description	Measurement (mm)		Wall thickness (mm)	Rib thickness (mm)
	Width	Height		
Sliding frame	88	52	2	1.5
Sash	42	57	2	1.5
Cover sash	45	31	1.5	
Glazing bead	15	25	1.5	
Mullion	66	42	2	1.5
Glass type	Single or double glass with gas filled			
Glass color	Clear, navy blue mercury, green mercury			
Glass thickness	5, 5.5 mm			

Cosmic Sliding

Cosmic Folding Window



Casement Single Door



Cosmic Casement



Emboss Casement

Double Door With G Bar



Casement Z Louver



Features of uPVC Window

- Water Proof
- Scratch Free
- Fire Retardant
- Color Guarantee
- Weather Resistance
- Metal Reinforcement
- Excellent Sound Insulation
- Engineering & uPVC Materials

Features of uPVC Door

- uPVC Materials
- Scratch Free
- Weather Resistance
- Water Proof
- Durable
- Termite Proof

Features of Woody Door

- Durable
- ECO Friendly
- Shape Changeless
- Fire Proof(upto 180°)
- Ability to Hold More Screw
- Termite Proof & Long Lasting

উইন্ডো ডেলিভারি নেয়ার সময় লক্ষণীয় বিষয়সমূহঃ

১. ফ্রেম ভাঙা চেক করতে হবে।
২. চালান কপি দেখে উইন্ডো মিলিয়ে নিব।
৩. গ্লাস ভাঙা এবং দাগ পড়া চেক করতে হবে।
৪. কত স্কয়ার ফিট এবং কত পিস উইন্ডো সেটা চেক করতে হবে।
৫. গ্লাস এবং ফ্রেম কালার অর্ডার অনুযায়ী ঠিক আছে কিনা চেক করতে হবে।
৬. ফিটিং এর জন্যে কিছু লুজ এক্সেসরিজ-যেমন: রয়েল বোল্ট, ফ্রেম কানেক্টর, কাটিং শিট এগুলো চেক করতে হবে।

For Information

Division	Name of Region	District	Mobile No.
Division 1	Rangpur	Dinajpur, Takurgaon, Panchagar, Nilphamari, Rangpur, Lalmonirhat, Kurigram, Gaibandha	01844606640
	Bogura	Bogura, Joypurhat, Naogaon, Rajshahi, Chapai Nababgonj, Nator, Pabna, Sirajgonj	
	Jashore	Jashore, Jhenaidah, Chuadanga, Meherpur, Narail, Khulna, Bagerhat, Satkhira, Faridpur, Magura, Rajbari, Kushtia	
	Barishal	Barisal, Barguna, Bhola, Jhalakathi, Patuakhali, Pirojpur, Madaripur, Shariatpur, Gopalganj	
	Mymensingh	Tangail, Jamalpur, Sherpur, Mymensingh, Netrokona, Gazipur	
Division 2	Dhaka	D.M-01/Mitford, D.M-02/Badda	01844606593
	Out Dhaka	Narayongonj, Munsigonj, Manikgonj, Savar	
	M. Bazar	B.Barial, Habigonj, Sylhet, Sunamgonj, Kishorgonj, Narsingdi	
	Chattogram	Chattogram, Bandorban, Cox's Bazar, Khagrachari, Rangamati, Hathazari	
	Cumilla	Cumilla, Feni, Noakhali, Laxmipur, Chandpur	
Nationally			01841256716

SR / ZM: